

### CASTALY INDUSTRIES CORP.

637 VINELAND AVE. LA PUENTE, CA 91746
TEL: 626-968-6330 FAX: 626-968-6333

Mail: info@castalymachine.com Web Site www.lobomachine.com



## CNC-83-DU Vertical CNC 3 Spindles Machine Center One 83" Zone or Two 47" Zones \$58,990.00

#### Outstanding Features:

- CNC-83-DU CNC Multi-Spindles machine center is ideal for high-speed slot milling on straight and curved wood.
- This machine is designed with 3 spindles, allowing for machining 3 pieces of wood simultaneously.
- Equipped with an advanced CNC controller, the machine makes slot milling operations more flexible and easier.
- Suitable for high-speed slot milling for kitchen cabinet frames, chair, and table legs, etc.
- Applicable for straight and curved wood.
- 3 Spindles are simultaneously controlled. Each spindle is controlled through a frequency inverter.
- Powerful CNC controller permits slot milling to be performed with ease and helps to dramatically increase throughput.
- X, Y, Z-axis movements are driven by servo motors with high speed and high positioning accuracy.
- X, Y, Z-axis are transmitted through ball screws.
- X, Y, Z-axis sideways and clamping mechanism slideways are fitted with linear motion guides.
- **(Optional)**. With the Quick-Change Spindle, no secondary machining is required. Two slot widths can be machined at a time. This not only dramatically shortens the workpiece handling time by the operator but also upgrades working efficiency and market competitiveness.


#### **Specification**

- Cutting capacity
- Maximum workpiece size (One Zone) 83-3/8" Length x 1, 3-3/8" Width
- Maximum workpiece size (Two Zones) 47-1/4" Length x 2, 3-3/8" Width
- Maximum working height 4"
- Number of spindles 3 spindles
- Spindle speed 16,000 R.P.M.
- Spindle motor 3 HP x 3 units
- X-axis 1.5 kw x 1 unit
- Y-axis 1 kw x 1 unit
- Z-axis 1 kw x 1 unit
- Total horsepower 10.25 kw (13.7 HP)
- Working air pressure 6 kg/cm2



## **Wood Clamping Mechanism**


- Two clamping areas (A/B area) allow the operator to clamp wood during slot milling for saving wood loading time.
- Pneumatically operated wood clamping for added efficiency and convenience.






## CNC-83-DU2 CNC 3 x 2 Vertica 6 Spindles Machine Center One 83" Zone or Two 47" Zones \$68,990.00

• Two Different Size Cutters Setting: for quick process's options.



## Changeable Spindle Head CNC-83-DU2

To meet the requirement of machining of two different slot widths, an automatic spindle head change is available. This feature may reduce secondary machining time and workpiece clamping time, resulting in a dramatic reduction of machining time and increased working efficiency.



## **Advanced CNC Control** Powerful Functions! Easy To Operate!

## Features of CNC Controller:

- 8" high resolution touch screen.
- Parameter filling operational interface in combination with the use of mouse allow for quick setting without need of computer expertise.
- Multiple memory capacity of

   madulation meadulant
- production modules.
- Chinese and English display.











# CNC-105-DU Vertical CNC 5 Spindles Machine Center One 110" Zone or Two 55" Zones \$99,900.00

### **Cutting capacity**

- Maximum workpiece size (one Zone) 110" Length x 1, 3-3/8" Width
- Maximum workpiece size (Two Zones) 47-1/4" Length x 2, 3-3/8" Width
- Maximum working height 4"

# CNC-165-DU CNC 5 Spindles Machine Center One 196" Zone or Two 98" Zones \$119,900.00

### **Cutting capacity**

- Maximum workpiece size (one Zone) 196" Length x 1, 3-3/8" Width
- Maximum workpiece size (Two Zones) 98" Length x 2, 3-3/8" Width
- Maximum working height 4"

### **Specification**

- Number of spindle 5 spindles
- Spindle speed 18,000 R.P.M.
- Spindle motor 5 HP x 5 units
- X-axis 1.5 kw x 1 unit
- Y-axis 1 kw x 1 unit
- Z-axis 1 kw x 1 unit
- Total horsepower 22.25 kw (29.7 HP)
- Working air pressure 6 kg/cm2






# Advanced CNC Control Powerful Functions! Easy To Operate!

### Features of CNC Controller:

- 10" high resolution touch screen.
- Parameter filling operational interface in combination with the use of a mouse allow for quick setting without need of computer expertise.
  - Multiple memory capacity of production modules.



(Training and installation, tooling & rigging are optional.)
(Customers are responsible for local regulations and connecting utilities)
The price is F.O.B. Los Angeles Ca. USA. Tooling, rigging, freight & sales taxes are not included.
Full Payment with order or 50% deposits with confirm order, 50% before shipping.

If there are any questions, please feel free to call us at 1-(626) 968-6330 or e-mail to us at info@castalymachine.com

(Price may vary, please check our website at www.lobomachine.com for the current price list)